



# Certificate of Analysis

Product: Vanilla Beans

Certificate No.: P7093528 Version 1

Lot No: N/A

Issued for: The Madagascar Vanilla Company

Test / Date / Method	Specification	Results
<b>E. coli.</b> 2019-11-01 USP	Negative /10g	Absence
<b>Humidity Content</b> 2019-10-24 USP	Report	23%
<b>Pseudomonas Aeruginosa.</b> 2019-11-01 USP	Negative /10g	Absence
<b>Salmonella spp</b> 2019-11-01 USP	Negative /10g	Absence
<b>Staphylococcus aureus</b> 2019-11-01 USP	Negative /10g	Absence
<b>Total Plate Count</b> 2019-11-01 USP	$\leq 10,000$ cfu/g	< 10 cfu/g
<b>Yeast &amp; Mold</b> 2019-11-01 USP	$\leq 1,000$ cfu/g	< 10 cfu/g
<b>Vanillin Content</b> 2019-10-24 HPTLC	Report	1.2%
<b>Vanillin Content</b> 2019-10-24 HPTLC	Report	Pass

Issuance Date: 2019-11-02



# Certificate of Analysis

---

Approved By:  
N. Abochama, M. Sc.  
QA Director

**Requisition:** 1092R4200 **Received On** 2019-10-18 **Code No:** N/A **For** The Madagascar Vanilla Company, 27 FLintshire RD , Malvern, , Tel: +14843207947 Fax:.